## **Amendments to the Claims:**

Please cancel claims 1-3 without prejudice and amend claim 4, as shown in the following listing of claims, which will replace all prior versions and listings of claims in the application:

## Listing of claims:

1-3 (canceled).

4 (currently amended). The cell line according to claim 1, which An isolated cell line derived from a human hepatocarcinoma cell, which stably expresses human cytochrome P450, which is introduced by transfection, provided that when the human hepatocarcinoma cell is HepG2, the human cytochrome P450 is other than CYP2E1, and wherein the cell line is Hepc/1A1.4, Hepc/1A2.9, Hepc/2B6.68, Hepc/2C8.46, Hepc/2C9.1, Hepc/2C19.12, Hepc/2D6.39, or Hepc/3A4.5.

5 (previously withdrawn). A method for analysis, which comprises using the cell line according to claim 1, said analysis being for (a) an enzyme participating in the metabolism of a xenobiotic and/or an endogenous substrate, (b) a metabolic pathway of a xenobiotic and/or an endogenous substrate, (c) a chemical structure of the metabolite of a xenobiotic and/or an endogenous substrate, (d) inhibition of the metabolizing enzyme for a xenobiotic and/or an endogenous substrate, (e) an accelerated activity of the metabolism of a xenobiotic and/or an endogenous substrate, (f) cytotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate, (g) genotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate, (i) mutagenicity by the metabolism of a xenobiotic and/or an endogenous substrate, (j) hepatotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate, (j) hepatotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate, or (k) a xenobiotic and/or an endogenous substrate that acts on the liver.

6 (previously withdrawn). A method for preparing the metabolite of a xenobiotic and/or an endogenous substrate, which comprises using the cell line according to claim 1.

7 (previously withdrawn). A method for screening a substance, which comprises using the cell line according to claim 1, wherein the substance is (a) a substance capable of inhibiting a xenobiotic and/or an endogenous substrate, (b) a substance capable of accelerating an activity of the metabolizing enzyme for a xenobiotic and/or an endogenous substrate, (c) a substance capable of expressing cytotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate, (d) a substance capable of expressing genotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate, (e) a substance capable of expressing carcinogenicity by the metabolism of a xenobiotic and/or an endogenous substrate, (f) a substance capable of expressing mutagenicity by the metabolism of a xenobiotic and/or an endogenous substrate, (g) a substance capable of expressing hepatotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate which acts on the liver, or (i) a substance capable of acquiring a new physiological activity or increasing or decreasing the inherent physiological activity, through the metabolism of a xenobiotic and/or an endogenous substrate.

8 (previously withdrawn). A compound or its salt which is obtainable using the method according to claim 7.

9 (previously withdrawn). A pharmaceutical composition comprising the compound or its salt according to claim 8.

10 (previously withdrawn). A method for analysis, which comprises using at least two cultured cell lines derived from human liver capable of stably expressing at least one of CYP1A1, CYP1A2, CYP2A6, CYP2B6, CYP2C8, CYP2C9, CYP2C19, CYP2D6, CYP2E1 and CYP3A4, said analysis being for (a) an enzyme that participates in the metabolism of a xenobiotic and/or an endogenous substrate, (b) a metabolic pathway of a xenobiotic and/or an endogenous substrate, (c) a chemical structure of the metabolite of a xenobiotic and/or an endogenous substrate, (d) inhibition of the metabolizing enzyme for a xenobiotic and/or an endogenous substrate, (e) an accelerated activity of the metabolism of a xenobiotic and/or an endogenous substrate, (f) cytotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate, (g) genotoxicity by the metabolism of a xenobiotic and/or an

endogenous substrate, (i) mutagenicity by the metabolism of a xenobiotic and/or endogenous substrate, (i) mutagenicity by the metabolism of a xenobiotic and/or an endogenous substrate, (j) hepatotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate, or (k) a xenobiotic and/or an endogenous substrate that acts on the liver.

11 (previously withdrawn). A method for preparation of the metabolite of a xenobiotic and/or an endogenous substrate, which comprises using at least two cultured cell lines from human liver capable of stably expressing at least one of CYP1A1, CYP1A2, CYP2A6, CYP2B6, CYP2C8, CYP2C9, CYP2C19, CYP2D6, CYP2E1 and CYP3A4.

12 (previously withdrawn). A method for screening a substance, which comprises using at least two cultured cell lines from human liver capable of stably expressing at least one of CYP1A1, CYP1A2, CYP2A6, CYP2B6, CYP2C8, CYP2C9, CYP2C19, CYP2D6, CYP2E1 and CYP3A4, said substance being (a) a substance capable of inhibiting the metabolizing enzyme for a xenobiotic and/or an endogenous substrate, (b) a substance capable of accelerating an activity of the metabolizing enzyme for a xenobiotic and/or an endogenous substrate, (c) a substance capable of expressing cytotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate, (d) a substance capable of expressing genotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate, (e) a substance capable of expressing carcinogenicity by the metabolism of a xenobiotic and/or an endogenous substrate, (f) a substance capable of expressing mutagenicity by the metabolism of a xenobiotic and/or an endogenous substrate, (g) a substance capable of expressing hepatotoxicity by the metabolism of a xenobiotic and/or an endogenous substrate, (h) a xenobiotic and/or an endogenous substrate which acts on the liver, or (i) a substance capable of acquiring a new physiological activity or increasing or decreasing the inherent physiological activity, through the metabolism of a xenobiotic and/or an endogenous substrate.

13 (previously withdrawn). A compound or a salt thereof, which is obtainable using the method according to claim 12.

14 (previously withdrawn). A pharmaceutical compound comprising a compound or a salt thereof according to claim 12.